



Jet black: KDE - BLK - 450
Snow white: KDE - WHT - 450
Ash grey: KDE - GRY - 450


Product Number:

Pebbles: KDE - PEB - 900
Anthracite: KDE - ANT - 900
Forest: KDE - GRE - 900
Silver: KDE - SLV - 900

Details

For You

Soft




Product: Soft

Jet black: KDE - BLK - 450
 Snow white: KDE - WHT - 450
 Ash grey: KDE - GRY - 450

Product Number:

Pebbles: KDE - PEB - 900
 Anthracite: KDE - ANT - 900
 Forest: KDE - GRE - 900
 Silver: KDE - SLV - 900



Technical data


MATERIAL	Needle felt	DIN61151
COMPOSITION	100% PP	
SURFACE STRUCTURE	Dilour	
USER CLASS	32	
BACKING	None-latex free	ISO 2424
NOISE REDUCTION	24dB	
PERMANENT ANTI-STATIC	≤2kV	ISO 6356
PRODIS GUT CERTIFICATE	943358A6	
FIRE CLASSIFICATION	Bfl-s1	EN 13501-1

Product Number:


Jet black: KDE - BLK - 450
Snow white: KDE - WHT - 450
Ash grey: KDE - GRY - 450

Pebbles: KDE - PEB - 900
Anthracite: KDE - ANT - 900
Forest: KDE - GRE - 900
Silver: KDE - SLV - 900


Step 1




Step 2




Step 3



Step 4



Step 5



GENERAL NOTES

Before installation, all measurements and conditions must be verified on site. Neither Details For You nor any of its distributors can be held liable for product malfunction or other defects as a result of improper installation.

GENERAL NOTES

Avant l'installation, toutes les dimensions et conditions doivent être vérifiées sur place. Ni Details For You ni ses partenaires commerciaux ne peuvent être tenus responsables des défauts du produit ou d'autres défauts pouvant être attribués à une mauvaise installation.

GENERAL NOTES

Vor dem Einbau sind alle Maße und Bedingungen bauseits zu prüfen. Weder Details For You noch seine Vertriebspartner können für Produktfehler oder sonstige Mängel, die auf unsachgemäße Installation zurückzuführen sind, haftbar gemacht werden.